



SAFETY DATA SHEET

DATE OF ISSUE: 04/01/2018

1. IDENTIFICATION OFF THE SUBSTANCE AND COMPANY

PRODUCT NAME : RIBBED SMOKED SHEET (RSS 3)
COMPANY IDENTIFICATION : VON BUNDIT CO., LTD
97/2 Moo 1 Asia 41 Road, Tambol Tharongchang Surat Thani 84130 Thailand
Tel : (077)254030-4 Fax :(077)254035
65 Surat Thani – Bannasarn Road; Surat Thani 84000 Thailand.
Tel : (077) 355321 - 4 Fax : (077) 355325

2. COMPOSITION/INFORMATION ON THE COMPONENTS : NATURAL RUBBER RIBBED SMOKED SHEET

3. HAZARDS INFORMATION

EXPLOSIVE : N/A TOXICITY : N/A
FLAMMABLE : YES HAZARDOUS : NO KNOWN HAZARDOUS
REACTIVITY : STABLE UNDER NORMAL CONDITIONS

4. PHYSICAL AND CHEMICAL PROPERTIES

FORM : CRUMB/BALE
COLOR : BROWN
ODOR : RUBBER
SOLUBILITY : INSOLUBLE
DENSITY : N/A
MALTING POINT : N/A

5. HEALTH INFORMATION

PRIMARY ROUTES OF ENTRY : SKIN CONTACT
PRECAUTIONARY INFORMATION : N/A

6. FIRST AID MEASURES

SKIN CONTACT : NO PROCEDURES ARE EXPECTED TO BE REQUIRED FOR THIS MATERIAL.

7. PRECAUTIONS FOR SAFE HANDLING AND USE

TECHNICAL PROTECTION MEASURE : N/A
PERSONAL PROTECTIVE MEASURE : WASH THOROUGHLY AFTER HANDLING

8. MATERIAL STORAGE

KEEP AWAY FROM EXCESSIVE HEAT AND OPEN FLAME.
STORE IN DRY PLACE.
KEEP AWAY FROM SUNSHINE AND RAIN.





9. ACCIDENTAL RELEASE MEASURES

AFTER SPILLAGE (METHOD OF CLEANING UP) : SWEEP OR SHOWER UP

ENVIRONMENTAL-PROTECTION MEASURES : DO NOT ALLOW ENTERING SEWERAGE SYSTEM

10. STABILITY AND REACTIVITY

CONDITION TO BE AVOIDED : MATERIAL IS STABLE.

SUBSTANCE TO BE AVOIDED : NON EXPECTED.

HAZARDOUS DECOMPOSITION PRODUCT : CARBON MONOXIDE AND CARBON DIOXIDE

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY : N/A

SUBACUTE TO CHLONIC TOXICITY : N/A

12. ECOLOGICAL INFORMATION

THIS PRODUCT HAS NOT BEEN TESTED FOR ECOLOGICAL (PHYSICAL AND BIOLOGICAL)HAZARDS OR NOT KNOWN.

13. DISPOSAL CONSIDERATION

PRODUCT : RECYCLE IF POSSIBLE

PACKAGING : RECYCLE IF POSSIBLE

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A SUBSTANCE HAZARDOUS FOR TRANSPORT.

15. REGULATION INFORMATION

NOT CLASSIFIED AS A SUBSTANCE HAZARDOUS FOR SUPPLY.

16. OTHER INFORMATION

FOR FIRE FIGHTING

EXTINGUISHING MEDIA : WATER, ALL PURPOSE DRY CHEMICAL, CO2, FOAM

SPECIAL FIRE-FIGHTING : DURING EMERGENCY CONDITION,OVER EXPOSURE TO THERMAL DECOMPOSITION
PRODUCTS MAY CAUSE A HEALTH HAZARD.AN APPROVED,SELF-CONTAINED
BREATHING APPARATUS SHOULD BE WORN.

UNUSUAL FIRE & EXPLOSION HAZARD : WHEN EXPOSED TO EXCESSIVE HEAT OR OPEN FLAMES,EMITS ACRID
FUMES AND/OR SMOKE.NO EXPLOSIVE HAZARDS ARE EXPECTED.



OHIO STATE UNIVERSITY COLLEGE OF BIOLOGICAL SCIENCES MSDS FILE

ROSS CHEMICAL COMPANY -- ROSS RUBBER CEMENT
MATERIAL SAFETY DATA SHEET

FSC: 8040

NIIN: 00N008082

Manufacturer's CAGE: 86816

Part No. Indicator: A

Part Number/Trade Name: ROSS RUBBER CEMENT

General Information

Company's Name: ROSS CHEMICAL COMPANY (CONROS CORPORATION)

Company's Emerg Ph #: 313-842-7370

Record No. For Safety Entry: 001

Tot Safety Entries This Stk#: 001

Date MSDS Prepared: 01JAN87

Safety Data Review Date: 11AUG86

MSDS Serial Number: BCPJP

NRC/State License Number: N/A

Net Explosive Weight: N/A

Net Propellant Weight-Ammo: N/A

Coast Guard Ammunition Code: N/A

Ingredients/Identity Information

Proprietary: NO

Ingredient: HEXANE (N-HEXANE)

Ingredient Sequence Number: 01

NIOSH (RTECS) Number: MN9275000

CAS Number: 110-54-3

OSHA PEL: 500 PPM

ACGIH TLV: 50 PPM; 9293

Physical/Chemical Characteristics

Appearance And Odor: PALE YELLOW,TRANSLUCENT LIQ,HYDROCARBON-LIKE ODOR.

Boiling Point: 154.4F,68C

Specific Gravity: 0.686

Solubility In Water: IMMISCIBLE

Percent Volatiles By Volume: 85

Viscosity: N/A

Radioactivity: N/A

Autoignition Temperature: N/A

Fire and Explosion Hazard Data

Flash Point: -7F (-21.7C),TCC

Extinguishing Media: CO*2,FOAM,DRY CHEMICAL

Special Fire Fighting Proc: COOL FIRE-EXP CNTNR W/H*2O.WEAR FULL PROT EQUIP,SCBA.

Unusual Fire And Expl Hazrds: H*2O MAY SPREAD FIRE (SOLVENT FLOATS ON H*2O).HEATING MAY CAUSE PRESS BUILD-UP,POSS RUPTURE OF CNTNR

Reactivity Data

Stability: YES

Materials To Avoid: NONE KNOWN

Hazardous Poly Occur: NO

Health Hazard Data

Signs/Symptoms Of Overexp: EYES:LIQ/VAP IRRITATES. SKIN:LIQ/VAP IRRITATES.

INHAL:VAPOR HARMFUL. INGEST:HARMFUL IF SWALLOWED.

Emergency/First Aid Proc: EYES:FLUSH IMMED W/PLENTY OF H*2O FOR @
LEAST 15
MIN. SKIN:WASH W/SOAP + H*2O.WASH CONTAM CLOTHING BEFORE
REUSE. INHAL:RMV
TO FRESH AIR.IF DIFFICULT BRTHG,GIVE O*2.CALL DR. INGEST:DO NOT
INDUCE
VOMIT.IMMED DRINK LGE QUANT OF MILK/H*2O.CALL PHYSICIAN.

=====

=====

Precautions for Safe Handling and Use

=====

=====

Steps If Matl Released/Spill: REMOVE ALL IGNITION SOURCES.DIKE TO
CONTAIN
SPILL.WEAR RECOMND PROT EQUIP,RESP PROT.USE EXPLOSION-PROOF
EQUIP TO RMV
BULK OF LIQ.ADD DRY MATL TO ABSORB REMAINING LIQ,PICK
UP,CONTAINERIZE FOR
RECOVERY/DISPOSAL.RINSE AREA W/H*2O,COLLECT FOR DISPOSAL.
Waste Disposal Method: DISPOSE OF IN A LICENSED HAZARDOUS WASTE
DISPOSAL
FACILITY IAW FEDERAL,STATE + LOCAL REGULATIONS. THIS PRODUCE,IF
DISPOSED AS

SHIPPED,MEETS EPA CRITERIA OF A HAZARDOUS WASTE AS SPECIFIED IN
40 CFR 261
ON THE BASIS OF ITS IGNITABILITY.
Precautions-Handling/Storing: DO NOT STORE/HANDLE IN THE PRESENCE OF
HEAT,
SPARKS/OPEN FLAME.GROUND/BOND CONTAINERS WHEN
TRANSFERRING.AVOID EYE,SKIN/
CLOTHING CONTACT.
Other Precautions: WEAR PROTECTIVE EQUIPMENT.WASH THOROUGHLY
AFTER
HANDLING.USE VENTILATION.

=====

=====

Control Measures

=====

=====

Respiratory Protection: NIOSH/MSHA APPROVED RESP PROT DEPENDING ON
CONDITION OF USE.

Ventilation: LOCAL EXHAUST VENTILATION.
Protective Gloves: RUBBER/VINYL
Eye Protection: SFTY GLASSES W/SIDE SHLDS
Other Protective Equipment: WORK CLOTHING,CHEMICAL GOGGLES
Suppl. Safety & Health Data: DATE OF PREP: JUNE, 1986.

Transportation Data

Trans Data Review Date: 86295
DOT PSN Code: AFR
DOT Proper Shipping Name: ADHESIVES,
DOT Class: 3
DOT ID Number: UN1133
DOT Pack Group: II
DOT Label: FLAMMABLE LIQUID
DOT/DoD Exemption Number: N/A
IMO PSN Code: DUW
IMO Proper Shipping Name: CEMENT, LIQUID *
IMO Regulations Page Number: SEE 3102
IMO UN Number: 1133
IMO UN Class: 3.1 *
IMO Subsidiary Risk Label: -
IATA PSN Code: AKY
IATA UN ID Number: 1133
IATA Proper Shipping Name: ADHESIVES
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
AFI PSN Code: AKY
AFI Prop. Shipping Name: ADHESIVES
AFI Class: 3
AFI ID Number: UN1133
AFI Pack Group: II
AFI Label: FLAMMABLE LIQUID
AFI Basic Pac Ref: 7-8

Disposal Data

=====
=====

Label Data
=====
=====

Label Required: YES

Label Status: G

Common Name: ROSS RUBBER CEMENT

Special Hazard Precautions: EYES:LIQ/VAP IRRITATES. SKIN: LIQ/VAP
IRRITATES. INHAL:VAPOR HARMFUL. INGEST:HARMFUL IF SWALLOWED.

Label Name: ROSS CHEMICAL COMPANY (CONROS CORPORATION)

Label Emergency Number: 313-842-7370
=====
=====

URL for this msds <http://hazard.com>. If you wish to change, add to, or
delete information in this archive please sent updates to dan@hazard.com.